


Fig. 1



L1 . . . 磁性粒の直径
L2 . . . 磁性粒間の間隔
W . . . 磁性薄膜の厚さ

Fig. 2





Fig 3



0984573-050101

Fig. 4(a)




Fig. 4(b)




Fig. 4(c)




Fig. 5




Fig. 6(a)




Fig. 6(b)




Fig. 6(c)




Fig. 7




Fig. 8(a)




Fig. 8(b)




Fig. 8(c)




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14(a)




Fig. 14(b)




Fig. 15(a)




Fig. 15 (b)




Fig. 15(c)




Fig. 15(d)




Fig 16(a)




Fig 16(b)




Fig. 17(a)




Fig. 17(b)




Fig. 17(c)




Fig. 17(d)




Fig. 17(e)





Fig. 18



0904673.05101
FOI050 E/94860

Fig. 19(a)




Fig. 19(b)




Fig. 19(c)




Fig. 19(d)




Fig. 20

磁性粒を分散させた樹脂で
コーティング




Fig. 21




Fig. 22(a)




Fig. 22(b)




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27

